Driveways



Find your style

Create the driveway you will love coming home to every day. It's the perfect finishing touch for your home, a new Marshalls driveway provides an attractive and practical approach. Select from a wide palette of colours, shapes and designs for either a distinctive, contemporary look, or to create a more traditional house front. Whatever your taste, with a Marshalls driveway you can be sure of a stunning end result to enhance the look of your property.

Contemporary Driveways

For sharp lines, eye catching sizes and on trend colours



- **DRIVEWAY SOLUTIONS**
- CONTEMPORARY DRIVEWAY SWATCHES
- MAGNASETT
- DRIVEWAY SETTS

- DRIVESYS SPLIT STONE

- p 148 DRIVESETT SAVANNA
- p 150 DRIVELINE 50

Permeable Driveways

Designed to manage rainfall with options for all



- p 152 PERMEABLE DRIVEWAY PAVING SYSTEMS
- p 154 PERMEABLE DRIVEWAY SWATCHES
- p 156 DRIVESETT ARGENT PRIORA
- p 158 DRIVESETT TEGULA PRIORA
- p 160 DRIVELINE PRIORA
- p 163 DRIVEGRID

Traditional Driveways

A traditional colour palette applied to textured surfaces and aged edges



- DRIVESETT COPPICE **NEW**

- 184 STANDARD BLOCK PAVING **NEW Colour**

DRIVEWAY ESSENTIALS

- 187 MARSHALLS BLOCK KERB 188 DRIVEWAY EDGING **NEW**


The importance of your driveway sub-base

Think about your house itself. It must be built on sound foundations to last, and the same is true for your driveway. In order to ensure that the finished project will last and retain both its aesthetics and safe, level surface, the appropriate sub-base must be selected and installed correctly.

The sub-base is typically compacted stone aggregate, laid on the subgrade (earth) that will support the paving products you have chosen to install. It is the main load-bearing layer for your driveway and its role is to spread this load and support the products evenly over

Illustrated here is a typical example of how your sub-base will be made up. The actual products and depths selected will change dependent upon the products you have selected for installation.

Remember, the sub-base is integral to structure and performance of the driveway and can often take up to 80% of the total project cost. Therefore, choosing the best possible product will not add significantly to the overall cost.



The potential pitfalls of incorrect sub-base installation:

Where the sub-base is installed incorrectly or is insufficient to support the chosen driveway products, the consequences are significant.







Sinking driveway



Marshalls Register members are assessed on a regular basis to

Choose a Marshalls Register Installer

ensure they install our products correctly, giving you the right driveway to enhance the appeal of your property into the future. That's why 99% of people who use a Register member would recommend them to a friend.*

To find your local member please visit www.marshalls.co.uk/findaninstaller

150mm deep to achieve a quality

end result. The sub-base layer can vary depending on existing ground conditions and anticipated loadings.



Data analysis from Customer Feedback Forms includes the period up to and including





Poor edge restraint

Driveway solutions

Choosing the right products to transform your driveway and enhance the kerb appeal of your property is just part of the planning

process for your project. What lies beneath your driveway is just as

important as the stones or setts that provide the finishing touch.

It is vital that rainwater run off is managed correctly to ensure a

sustainable driveway solution; select a professional qualified to install products correctly and to advise you on how to channel

the rainwater which lands on your property - see page 152 for our

permeable solutions.

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.

Edging E Paving P Steps S Walling W

DRIVELINE METRO, Light Grey — p143



DRIVESETT ARGENT, Light — p145



MAGNASETT, Silver Dusk — p133



CROPPED GRANITE SETTS, Silver Grey — p135




DRIVELINE METRO, Dark Grey — p143



DRIVEWAY SETTS, Silver Birch — p134



GRANITE SETTS, Light — p135



DRIVELINE NOVA, Pebble Grey — p147 NEW



GRANITE SETTS, Dark — p135



DRIVESYS RIVEN STONE, Siver Grey — p139



DRIVELINE 50, Pewter Multi — p151



DRIVESETT ARGENT, Graphite — p145



DRIVESYS RIVEN STONE, Basalt — p139



DRIVESETT ARGENT, Dark — p145 CEPW



DRIVESETT SAVANNA, Pennant Grey — p149



DRIVESYS FLAMED STONE, Blue Pennant — p137



DRIVESYS SPLIT STONE, Grey Green — p141



DRIVELINE 50, Charcoal — p151



DRIVESYS SPLIT STONE, Basalt — p141







Contemporary Driveways cont'd Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.

Coping C Edging E Paving P Steps S Walling W





DRIVESETT SAVANNA, Autumn — p149



MAGNASETT, Autumn Gold — p133



DRIVELINE METRO, Maroon — p143



DRIVESETT SAVANNA, Traditional — p149



DRIVEWAY SETTS, Autumn Bronze — p134



DRIVELINE 50, Bracken — p151



DRIVELINE 50, Burnt Ochre — p151







DRIVELINE 50, Buff - p151



DRIVELINE 50, Brindle — p151












Contractor

To find your local Register member please visit www.marshalls.co.uk/findaninstaller





The statement choice for driveways and patios

Exceptional large element stone setts designed to make a real statement. Equally suitable for use on both driveways and patios. These sandstone setts will add a unique and stylish look to your property and are available in two blended colours of a naturally split stone which provides a delicate riven surface.

	Sizes mm (nominal)	No. items/ pack	No./m²	Colours	Order Select
Magnasett	400 x 400 x 50	16	N/A		
	400 x 265 x 50	32	N/A	AG	√ ∗
7.9m² Project Pack	265 x 265 x 50	16	N/A	SD	*
	265 x 127 x 50	24	N/A		

*Order Select minimum quantity is 1m² random sizes.













MAGNASETT

Ethically Sourced Natural Stone



1: MAGNASETT, Autumn Gold (AG) 2: MAGNASETT, Silver Dusk (SD)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p190 or website



MAGNASETT, Silver Dusk (SD). Edged with DRIVESETT Argent, Buff (B).
Designed & installed by Perfect Paving Ltd, Keston

DRIVEWAY SETTS

Sawn Natural Stone



1: DRIVEWAY SETTS, Autumn Bronze (AB) 2: DRIVEWAY SETTS, Silver Birch (SB)

Complete the look

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p190 or website



Create bespoke, traditional and individual effects

Precisely cut Driveway Setts produced from graded Indian sandstone, hand selected for beautiful consistent colours to give any home a bespoke look and a real touch of luxury.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	120 x 160 x 50	28			
Driveway Setts	160 x 160 x 50	90	7.83	AB SB	√ *
5000	240 x 160 x 50	130			

*Order Select minimum quantity is 1m² random sizes.













Striking contemporary driveway solutions

Our stunning Sawn Granite Driveway Setts are perfect for those looking to create a contemporary driveway. Designed to co-ordinate perfectly with Marshalls Light and Dark Granite Eclipse paving products, these modern format setts have a lightly flamed surface texture for excellent non-slip properties.

		Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
		350 x 150 x 50	90			
	Granite Setts	250 x 150 x 50	60	7.65	LT DK	√ *
_	Setts	150 x 150 x 50	30		D.C	
	Cropped Granite	100 x 100 x 100	400	4.0	SG	N/A
	Setts	200 x 100 x 100	200	4.0	۵۵	IN/A

*Order Select minimum quantity is 1m².

SAWN GRANITE **SETTS**

Premium Natural Granite



- 1: SAWN GRANITE SETTS, Light (LT)
- 2: SAWN GRANITE SETTS, Dark (DK)
- 3: CROPPED GRANITE SETTS, Silver Grey (SG)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.









DRIVESYS® FLAMED STONE

Patented Driveway System



1: DRIVESYS FLAMED STONE, Blue Pennant (BP)

may appear lighter in colour.

To complete every Drivesys driveway, each pack is supplied with

and number of deliveries.

the correct amount of ready mixed


jointing compound, minimising fuss

Drivesys blocks come with a protective transportation seal which will

Creating a stunning and prestigious approach

Create an impact with this larger sized concrete system featuring a flamed-effect finish with the prestigious look and feel of Welsh Pennant stone. Realistic Gwrhyd Welsh stone face profiles used with a straight contemporary edge provide the ideal solution for both traditional and contemporary settings. Hard wearing colour and finish, available in five complementary sizes with co-ordinating roundtop edgings.

	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours	Order Select
	280 x 210 x 60	50			
	210 x 210 x 60	25			
Mixed Sized Pack	140 x 210 x 60	20		BP	√ *
	250 x 210 x 60	10			•
	170 x 210 x 60	10			
Ready mixed jointing	15kg	2		GREY	
Total/pack		115	5.51		



*Order Select minimum quantity is 1m² random sizes.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p190 or website



Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.





Creating the perfect contemporary driveway

An elegant driveway system replicating lightly riven stone face profiles complemented by crisp, straight contemporary edges, offering an attractive and cost effective alternative to natural stone. Practical, hardwearing colour and finish, created from real stone masters, with co-ordinating roundtop edgings.

	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours	Order Select
	220 x 160 x 60	50			
	200 x 160 x 60	30		SG	
Mixed Size Pack	180 x 160 x 60	40		В	√ *
	160 x 160 x 60	10			•
	120 x 160 x 60	15			
Ready mixed jointing	15kg	2		GREY	
Total/pack		145	4.51		

*Order Select minimum quantity is 1m² random sizes. Please note: Drivesys Riven Stone pack sizes may be subject to change and images may not be representative of supply.

DRIVESYS® RIVEN STONE

Patented Driveway System



1: DRIVESYS RIVEN STONE, Silver Grey (SG) 2: DRIVESYS RIVEN STONE, Basalt (B)


Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter in colour.

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.







1: DRIVESYS SPLIT STONE, Basalt (B) 2: DRIVESYS SPLIT STONE, Grey Green (GG)

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated blocks may appear lighter in colour.

DRIVESYS®

SPLIT STONE

Patented Driveway System

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p190 or website



All the character of premium natural stone with the reliability of a modern engineered concrete system. This robust design is created using realistic split stone face profiles combined with a straight contemporary edge for a sophisticated end result. The hardwearing colour and finish is created from real stone masters, with co-ordinating roundtop edgings.

	Sizes mm (nominal)	No. item/ pack	Area (m²/pack)	Colours	Order Select
	220 x 160 x 60	80			
	200 x 160 x 60	48			
Mixed Size Pack	180 x 160 x 60	64		B GG	√ ∗
	160 x 160 x 60	16			
	120 x 160 x 60	32			
Ready mixed jointing	15kg	3		GREY	
Total/pack		820	7 22		

*Order Select minimum quantity is 1m² random sizes.












Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

DRIVESYS SPLIT STONE Driveway, Basalt (B), Edging and Pathways DRIVESYS SPLIT STONE, Grey Green (GG). Designed & installed by Jason Clarke Classic Paving, Cheshire



DRIVELINE® METRO

Driveways



- 1: DRIVELINE METRO, Maroon (MA)
- 2: DRIVELINE METRO, Rose (RO)

6.73

108

480 x 130 x 80

Single Size Pack

*Order Select minimum quantity is 1m².

- 3: DRIVELINE METRO, Light Grey (LG)
- 4: DRIVELINE METRO, Dark Grey (DG)

Complete the look Steps p54, p55, Kerbs p186, Edges p188, Drainage p185

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p190 or website











DRIVELINE METRO, Light Grey (LG) and Dark Grey (DG) mix.

Edged with KEYKERB SMALL, Charcoal (CH). Designed & installed by Esse Landscapes, Crawley







Stunning modern granite finish

Achieve a premium granite look with Drivesett Argent, a cost effective, attractive and hardwearing alternative to natural granite stone setts. Made using a blend of British granite aggregates, we have created a stunning contemporary driveway finish, with colour. Co-ordinating paving and walling in the same range provides greater design potential and truly bespoke results.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
Mixed Size	240 x 160 x 50	120	4.61	CD.	
Pack	160 x 160 x 50	216	5.53	GR LT	√ *
	80 x 160 x 50	48	0.61	DK B	V
Total/pack		384	10.75	ت ا	

^{*}Order Select supplied in 1 layer random pattern.














DRIVESETT®



- 1: DRIVESETT ARGENT, Graphite (GR)
- 2: DRIVESETT ARGENT, Light (LT)
- 3: DRIVESETT ARGENT, Dark (DK)
- 4: DRIVESETT ARGENT, Buff (B)

This product comes with specific installation guidelines. Please contact



DRIVELINE $\mathsf{NOVA}^{\mathsf{TM}}$

Driveways

Traditional colours with a contemporary twist

Driveline Nova is a brand new colourway and aesthetic for block paving, successfully combining two contrasting colours into every block. The end result is a blend of traditional colours yet in a striking contemporary finish, coupled with a larger size unit and high quality finish, Driveline Nova block paving achieves a fashionable on-trend 'industrial' look. Ideal for use on driveways, patios and pathways.



1/1		Size mm (nominal)	No. items/pack	m²/pack	Colour	Order Select
1	Driveline Nova	300 x 150 x 50	216	9.72	PG BRI	√ *

^{*}Order Select minimum 1m².

NEW



- 1. DRIVELINE NOVA Pebble Grey (PG)
- 2. DRIVELINE NOVA Brindle (BRI)

Complete the look Steps p54, p55, Kerbs p186, Edges p188, Drainage p185

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

















Create a classic look and feel


Superb quality, great value product designed to create a classic driveway look and finish, providing hard wearing performance with smooth, clean contemporary blocks available in a range of colours and sizes to provide the right aesthetic for every property style.

	Sizes mm (nominal)	No. items/ pack	No/ m²	m²/ pack	Colours	Orde Sele
	240 x 160 x 50	300	26	11.52	Δ	
Single Size Packs	160 x 160 x 50	420	39	10.75	TR	✓*
· delo	120 x 160 x 50	540	52	10.37	PG	

*Order Select minimum supplied, 1 m² in single sizes.

DRIVESETT® SAVANNA®

Driveways



- 1: DRIVESETT SAVANNA, Autumn (A)
- 2: DRIVESETT SAVANNA, Traditional (TR)
- 3: DRIVESETT SAVANNA, Pennant Grey (PG)

Complete the look

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.











The leading choice for Britain's driveways

With all the inherent quality and durability expected from one of Britain's most popular driveway products, recent improvements to texture and finish only add to the appeal of Driveline 50. These smooth and durable contemporary blocks are available in a wide range of vibrant colours and will maintain their appearance for years, complementing any style of property.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
Single Size Packs	200 x 100 x 50	488	9.76	BRI CH R BO PM B BRA	√ *

*Order Select minimum supplied, 1m² in single sizes.









Driveways



- 1: DRIVELINE 50, Brindle (BRI) 2: DRIVELINE 50, Charcoal (CH)

- 3: DRIVELINE 50, Red (R)
 4: DRIVELINE 50, Burnt Ochre (BO)
 5: DRIVELINE 50, Pewter Multi (PM)
- 6: DRIVELINE 50, Buff (B) 7: DRIVELINE 50, Bracken (BRA)

Complete the look Steps p54, p55, Kerbs p187, Edges p188, Drainage p185

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.





Global population growth, continued urban expansion and the effects of climate change are all impacting upon our environment. In this country, recent severe weather events have highlighted the incidence of flooding, where our drains simply cannot cope with the amount of rainfall run off – a problem which is only likely to increase

This increased risk of flooding has led to changes in legislation, meaning that the environmental consequences of creating hard landscaped areas for vehicle parking must now be taken into consideration when planning your driveway project. Visit www.communities.gov.uk for further information.

However, new and replacement driveways of any size are exempt from planning permission requirements where they use Sustainable Drainage Systems (SuDS).

Marshalls offers a full range of driveway products requiring no planning permission and having a positive impact on the environment.

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall events. Each 60mm block features the Marshalls patented Priora nib design, which allows surface water to pass between the blocks into a specially calculated sub-base without compromising the structural performance of the driveway.




Three of the Marshalls most popular driveway ranges offer Priora SuDS options; Drivesett Argent Priora (p156), Drivesett Tegula Priora (p158) and Driveline Priora (p160).

Marshalls permeable grids such as Grassguard or Drivegrid can also be used to create occasional parking areas capable of managing the rainfall that lands on your property as long as a permeable sub-base is installed. Grassguard works in a similar way to Priora block paving, retaining all the environmental benefits of natural grassed areas yet offering the versatility and hardwearing strength of concrete. Drivegrid is a premium gravel stabiliser which combines with a permeable geotextile and choice of aggregate to complement any style of property. Both have been designed to allow rainwater to flow through easily into the sub-base below.*





In the sub-base, the sand laying course and MOT Type 1 are replaced with a larger aggregate that creates voids to allow the water to drain through. This design stores water safely until it can be absorbed into the ground, instead of directing it to the local drainage system, where it could present a burden.



Where a permeable driveway is not an option

Adequate drainage must be incorporated into your driveway or patio design. Marshalls has launched Driveline Drain, an innovative linear drainage solution that successfully achieves a premium finish, reduces the risk of flooding and complies with government legislation. See p185 for more details.





Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.

Also available as:

DRIVESETT ARGENT PRIORA, Light — p156 CEPW



DRIVESETT ARGENT PRIORA, Graphite — p156



Drivesett Tegula Priora, Traditional — p158 ☑ 🔣 📆



Drivesett Tegula Priora, Pennant Grey — p158



DRIVELINE PRIORA, Charcoal — p160



DRIVESETT TEGULA PRIORA, Harvest — p158





DRIVESETT ARGENT PRIORA, Dark — p156

DRIVELINE PRIORA, Bracken — p160



DRIVELINE PRIORA, Red — p160



DRIVELINE PRIORA, Buff — p160



DRIVEGRID with Golden Blend 10mm Aggregate — p163



DRIVELINE PRIORA, Brindle — p160



GRASSGUARD, Earth Brown — p162



DRIVEGRID with Sea-Washed 10mm Aggregate — p163



DRIVELINE PRIORA, Burnt Ochre — p160











Contemporary sustainable driveway solutions

The ultimate sustainable driveway option with no additional drainage required and no need for planning permission. Priora Permeable Paving is designed to enable rainwater to percolate directly into the ground below, without overloading the drains, thereby reducing flood risk. Argent Priora has all the design appeal of a contemporary granite-look finish and is available with a range of co-ordinating, walling and edging features.

		Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
_		240 x 160 x 60	108			
	Mixed Size Pack	160 x 160 x 60	135		GR	
		80 x 160 x 60	36		LT DK	√ *
	Total Pack		279	8.06		

*Order Select supplied in 1 layer random pattern.















DRIVESETT® ARGENT® PRIORA®

Patented Permeable Block Driveways



- 1: DRIVESETT ARGENT PRIORA, Graphite (GR) 2: DRIVESETT ARGENT PRIORA, Light (LT)
- 3: DRIVESETT ARGENT PRIORA, Dark (DK)

Complete the look Paving p52, Walling p108, Driveway p144, Edges p188

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.







High quality, aged and authentic sustainable block paving

Original and popular traditional block paving, renowned for its lasting high quality look, featuring an elegant timeworn appearance and available in a variety of sizes and rich colour blends. No planning permission required – Tegula Priora is designed to manage heavy rainfall in a sustainable way, with surface water passing through into the ground below. No need for additional drainage.

		Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
_		240 x 160 x 60	232	8.91	TR
	Single Size Pack	160 x 160 x 60	348	8.91	PG
		120 x 160 x 60	492	9.45	П














Tegula is a trademark of SF Kooperation GmbH. Priora is a trademark of UNI-International Bausysteme GmbH.

DRIVESETT® TEGULA® PRIORA®

Patented Permeable Block Driveways




- 1: DRIVESETT TEGULA PRIORA, Traditional (TR) 2: DRIVESETT TEGULA PRIORA, Pennant Grey (PG)
- 3: DRIVESETT TEGULA PRIORA, Harvest (H)

Complete the look Walling p114, Driveway p174-177, Kerbs p187,

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.





DRIVELINE PRIORA, Brindle (BRI) edged with DRIVELINE PRIORA, Charcoal (CH) and DRIVELINE 4-in-1 Kerb, Charcoal (CH)



Versatile and elegant sustainable driveways

The ideal permeable driveway solution, available in a range of attractive and popular colour options to enhance every home. No planning permission or additional drainage is required – Driveline Priora manages driveway drainage by allowing surface water to pass through the joints directly into the ground below, so not overloading the drains and reducing flood risk.

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours
Single Size Pack	200 x 100 x 60	404	8.08	BRI BRA BO B CH R

Priora is a trademark of UNI-International Bausysteme GmbH.










Complete the look Driveway p150, Kerbs p186, Decorative Aggregates p120

DRIVELINE® PRIORA®

Patented Permeable Block Driveways



- 1: DRIVELINE PRIORA, Brindle (BRI)
- 2: DRIVELINE PRIORA, Bracken (BRA)
- 3: DRIVELINE PRIORA, Burnt Ochre (BO)
- 4: DRIVELINE PRIORA, Buff (B)
- 5: DRIVELINE PRIORA, Charcoal (CH)
- 6: DRIVELINE PRIORA, Red (R)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.



Driveway p174-177, Kerbs p187, Edging p188, Decorative Aggregates p120

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website

For more product notes see p191 or website

1: DRIVEGRID, Black 2: Geotextile

Sea-Washed 10mm

DRIVEGRID® Permeable Driveway Grid





GRASSGUARD®

Permeable Driveways

1: GRASSGUARD, Earth Brown

Sustainable occasional parking provision

Versatile and hardwearing Grassguard is a supplement to a block paved driveway for occasional parking. No planning permission required – Grassguard deals with rainfall run off in a sustainable way and retains all the environmental benefits of a natural grassed area.

		Sizes mm (nominal)	No. items/ pack	No./m²	m²/pack	Colour	Order Select
-	Single Size Pack	500 x 300 x 100	64	6.67	9.6	Earth Brown	√ *

^{*}Order select minimum, one 500x300x100 piece.

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

riveway p174-177, Kerbs p187, Edging p186,

For more product notes see p191 or website









Stabilising permeable driveway grid

This Drivegrid System includes an improved high quality, premium grid that holds and stabilises gravel driveways and paths and a Geotextile to help prevent weed growth. Rainwater will run through the cells and into the ground below, so no planning permission is required and the choice of 6-10mm decorative aggregate is perfect for traditional or contemporary schemes.

System Pack	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
Stabiliser Grid	330 x 330 x 40	108		Black	√ *
Geotextile Membrane	2250 x 6000	1	11.76	White	
Aggregate	Bulk	1		Golden Blend 10mm Multi Flint Spar Sea Washed 10mm	

^{*}Order select minimum, one 330 x 330 x 40 piece. Grids come pre-assembled with Geotextile Membrane in pack. Aggregate is optional.




www.marshalls.co.uk/homeowners prior to installation.





Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.

Also available as:





DRIVESETT COPPICE, Pennant Blend — p179 **NEW**



DRIVESETT NATRALE, Slate — p182



NATURAL STONE SETTS, Split & Tumbled, Silver Birch — p168



DRIVESETT TEGULA ORIGINAL, Pennant Grey — p175, 176, 177



STANDARD BLOCK PAVING, Charcoal — p184



STANDARD BLOCK PAVING, Natural — p184 NEW



DRIVELINE ELISE, Pebble Grey — p183



DRIVESYS ORIGINAL COBBLE, Iron Grey — p171



DRIVESYS ORIGINAL COBBLE, Basalt — p171



NATURAL STONE SETTS, Split & Tumbled, Autumn Bronze — p169



STANDARD BLOCK PAVING, Buff - p184



DRIVESETT DUO, Cotswold — p180



DRIVESETT COPPICE, Cedar Blend — p179 **NEW**



DRIVESETT DUO, Heather — p180



DRIVESETT COPPICE, Oak Blend — p179



DRIVESETT NATRALE, Sand — p182



NATURAL STONE SETTS, Sawn & Tumbled, Autumn Bronze — p169



DRIVESETT DECO, Cotswold — p181



DRIVESETT TEGULA ORIGINAL, Harvest — p175, 176



STANDARD BLOCK PAVING, Sunrise — p184






Traditional Driveways cont'd

Most people have in mind a colour palette for their project, irrespective of material or texture. Here you can choose your driveway products using this useful colour chart grouped by colour tone and texture.

Also available as:





DRIVESETT TEGULA ORIGINAL, Autumn — p175



DRIVESETT DUO, Cinder — p180



DRIVESYS ORIGINAL COBBLE, Canvas — p171



DRIVESETT TEGULA ORIGINAL, Traditional — p175, 176, 177



DRIVELINE ELISE, Brindle — p183



STANDARD BLOCK PAVING, Bracken — p184



DRIVESETT DECO, Traditional — p181



DRIVESETT DECO, Cinder — p181



STANDARD BLOCK PAVING, Brindle — p184



DRIVESYS CLASSIC PAVER, Abbey Blend — p173



DRIVESETT DUO, Terracotta — p180



DRIVESYS CLASSIC PAVER, Manor Red — p173



STANDARD BLOCK PAVING, Red — p184

DRIVESETT DECO, Terracotta — p181









To find your local Register member please visit www.marshalls.co.uk/findaninstaller







Superb traditional sandstone driveways

Natural stone driveway setts produced from specially selected Indian sandstone, featuring a naturally split stone to give a delicate riven profile to the surface of the setts. Hand selected for colour consistency, available in a range of sizes to create truly outstanding traditional driveways.

	Sizes mm (nominal)	No. items /pack	m²/pack**	Colours	Order Select
Split &	100 x 100 x 50	800	10		
Tumbled Setts	200 x 100 x 50	400	9.5	AB	√ ∗
Sawn & Tumbled Setts	200 x 100 x 50	480	10	SB	•

^{*}Order Select minimum quantity 1m².













NATURAL STONE SETTS

Ethically Sourced Natural Stone



- 1: DRIVEWAY SETTS, Sawn & Tumbled, Autumn Bronze (AB)
- 2: DRIVEWAY SETTS, Sawn & Tumbled, Silver Birch (SB)
- 3: DRIVEWAY SETTS, Split & Tumbled, Autumn Bronze (AB)
- 4: DRIVEWAY SETTS, Split & Tumbled, Silver Birch (SB)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.



^{**}Assumes nominal 15mm joint width.



All the charm and elegance of reclaimed stone

Drivesys Original Cobble creates a realistic antiqued cobbled stone look with all the benefits of an engineered concrete driveway system, providing an elegant and timeless reclaimed stone look. Use as single colour finish or blend a variety of colours, to enhance the charm of any home. Co-ordinating roundtop edges are available.



DRIVESYS ORIGINAL COBBLE, Iron Grey (IG) & Canvas (CN) Random Mix. DRIVELINE DRAIN, Charcoal (CH).

Designed & installed by D Plumridge Professional Driveway & Patio Construction, Sutton
















*Order Select minimum quantity is 1m² random sizes.

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated, blocks may appear lighter in colour.

DRIVESYS® ORIGINAL COBBLE

Patented Driveway System




- 1: DRIVESYS ORIGINAL COBBLE, Basalt (B)
- 2: DRIVESYS ORIGINAL COBBLE, Iron Grey (IG)
- 3: DRIVESYS ORIGINAL COBBLE, Canvas (CN)

To complete every Drivesys driveway, each pack is supplied with the right amount of ready mixed jointing compound, minimising fuss and number of deliveries.



This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.












DRIVESYS® **CLASSIC PAVER**

Patented Driveway System



High strength, high quality authentic style

Drivesys Classic Paver is a replica clay product made in high strength concrete for durability and ease of installation. A variety of realistic face profiles reflect the character of original kiln fired pavers resulting in truly authentic style. Two traditional colours are designed to be laid individually or as a coordinating blend.











Total Pack

*Order Select minimum quantity 1m².

Single Size Pack

Drivesys Narrow Jointing Compound

Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once dissipated, blocks may appear lighter in colour.

(nominal)

200 x 100 x 60

m²/ pack

pack

Colours

1: DRIVESYS CLASSIC PAVER, Manor Red (MR) 2: DRIVESYS CLASSIC PAVER, Abbey Blend (AB)

To complete every Drivesys Classic Paver driveway, each pack is supplied with the right amount of ready mixed narrow jointing compound, minimising fuss and number of deliveries.



This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website



Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.





Britain's most popular traditional block paving

Original and popular traditional block paving renowned for its lasting performance, offering a classic, high quality driveway. Designed to create an established, timeworn appearance, with a variety of block sizes and rich, traditional colour blends. With co-ordinating kerbs, walling and circle features available, Drivesett Tegula Original really is the complete package.

Complete the look
Walling p114, Driveway p158, Drainage p185, Kerbs p187







Single Size Packs	Sizes mm (nominal)	No. items/ pack	No/m²	m²/ pack	Colours	Order Select
Jumper	320 x 240 x 50	108	13	8.29	TR, H, PG	√ *
Large	240 x 160 x 50	284	26	10.91	TR H	
Medium	160 x 160 x 50	426	39	10.91	PG HA	
Small	120 x 160 x 50	606	52	11.64	A	√ *

^{*}Order Select minimum quantity 1m².

Tegula is a trademark of SF Kooperation GmbH.

DRIVESETT® TEGULA® ORIGINAL

Driveways



- 1: DRIVESETT TEGULA ORIGINAL, Traditional (TR)
- 2: DRIVESETT TEGULA ORIGINAL, Harvest (H)
- 3: DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG)
- 4: DRIVESETT TEGULA ORIGINAL, Hazelnut (HA)
- 5: DRIVESETT TEGULA ORIGINAL, Autumn (A)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.



DRIVESETT® TEGULA® ORIGINAL

Driveways



1: DRIVESETT TEGULA ORIGINAL, Traditional (TR) 2: DRIVESETT TEGULA ORIGINAL, Harvest (H) 3: DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG)

Complete the look

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website

most popular Drivesett Tegula Original colours. MADE IN MID RANGE

DRIVESETT TEGULA ORIGINAL, Pennant Grey (PG). DRIVESETT TEGULA CIRCLE, feature and linear bands in Pennant Grey (PG). Edged with DRIVESETT KERB, Pennant Grey (PG). Set within DRIVESETT TEGULA ORIGINAL Driveway in Traditional (TR)

Britain's most popular traditional block paving

Drivesett Tegula Original is also available in 9.73m² Project Packs, which contain the perfect proportion of block sizes to achieve a balanced look. Project Packs are ideal for easily calculating the correct number of packs to order with a minimum of waste. Available in the three

Project Packs	Sizes mm (nominal)	m²/pack	Colours
Large	240 x 160 x 50		TR
Medium	160 x 160 x 50	9.73	H
Small	120 x 160 x 50		PG

Tegula is a trademark of SF Kooperation GmbH.

The perfect feature to create a truly individual driveway.

	Sizes mm (nominal)	m²/ pack	Colour
Circle Pack (2.6 dia.)	2600	5.3	TR PG

1: DRIVESETT TEGULA CIRCLE, Traditional (TR)

2: DRIVESETT TEGULA CIRCLE, Pennant Grey (PG)

DRIVESETT®

TEGULA® CIRCLE

Driveways

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website







The classic focal point

This versatile circle can be incorporated as a focal point or used to break up uniformity in larger block paved areas. High quality, classic look and performance, with an attractive aged appearance and carefully matched colour choices.



Distinctive blended colours with a pleasing traditional aesthetic

Blended from light to dark in each of the three new colour mixes. Each single size pack contains five different blends which, when laid create an impression of multiple sized block paving.

The blocks are lightly riven with an aged edge detail that creates a pleasing and distinctive traditional driveway.

Drivesett Coppice is available in one popular block size for ease of installation and three versatile colours blended to suit a broad range of


	Size mm (nominal)	Units per pack	Area m²/pack	Colour	Order Select
Drivesett Coppice	240 x 160 x 50	250	9.6	CB OB PB	√ *

*Order Select minimum quantity 1m².

DRIVESETT® COPPICE®

Driveways

NEW



- 1. DRIVESETT COPPICE, Cedar Blend (CB)
- 2. DRIVESETT COPPICE, Oak Blend (OB)
- 3. DRIVESETT COPPICE Pennant Blend (PB)

Complete the look Steps p54, Walling p114, Drainage p185, Kerbs p187, Edges p188

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.












DRIVESETT® DUO®

Driveways



1: DRIVESETT DUO, Cinder (CI) 2: DRIVESETT DUO, Terracotta (T) 3: DRIVESETT DUO, Heather (HTHR)

4: DRIVESETT DUO, Cotswold (C)

Each block is reversible allowing individual design mixtures.



Walling p114, Driveway p174-177, Drainage p185, Kerbs p187

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website

Mellow and traditional blended colours

An attractive dual faced block featuring a different but complementary colour on each side, facilitates creating colour blends or bespoke designs within the area of the driveway. Classic, timeworn appearance and different block sizes create a mellow, traditional look that coordinates perfectly with Drivesett Walling and Kerbs.

Drivesett Duo, Heather (HTHR)/Cotswold (C) mix. Edged with Drivesett Deco, Cotswold (C) border

Design & installation by B H Building, Grantham

and Drivesett Kerb, Pennant Grey (PG).

	Sizes mm (nominal)	No. items/ pack	m²/pack	Colours	Order Select
	240 x 160 x 50	280	10.76		
Single Size Pack	160 x 160 x 50	420	10.76	CI, T, HTHR. C	√ *
. Jen	120 x 160 x 50	560	10.76	, c	

*Order Select minimum 1m² in single sizes.







Rustic and traditional cobbled effect Create a traditional cobbled effect with these smaller rustic

blocks, offering an elegant aged appearance and a choice of rich colour blends. Drivesett Deco is suitable for use as driveway, edging feature or path, co-ordinating beautifully with many other Marshalls paving and driveway products.

DRIVESETT DECO, Traditional (TR) edged with Drivesett Kerb,

Traditional (TR) and Drivesett Deco, Costwold (C)

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours	Order Select
Single Size Pack	110 x 110 x 50	882	10.67	TR T C CI	√ *

*Order Select minimum 1m²

DRIVESETT® DECO

Driveways



- 1: DRIVESETT DECO, Traditional (TR)
- 2: DRIVESETT DECO, Terracotta (T)
- 3: DRIVESETT DECO, Cotswold (C)
- 4: DRIVESETT DECO, Cinder (CI)

/alling p114, Driveway p174-177, Drainage p185, erbs p187

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.





DRIVESETT® NATRALE

Driveways



2: DRIVESETT NATRALE, Slate (SL)

Complete the look

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website

Combining practicality with design choice

Drivesett Natrale uses realistic split stone face profiles to provide a cost effective, hard wearing and practical alternative to natural stone driveways. The varied selection of block sizes and warm colour mixes can be used to create attractive random designs.

DRIVESETT NATRALE, Slate (SL). Edged with KEYKERB LARGE Charcoal (C).

Designed & installed by Arun Driveways, Littlehampton

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours	Order Select
	240 x 160 x 50	300	11.52	_	
Single Size Pack	160 x 160 x 50	420	10.75	S SL	√ *
	120 x 160 x 50	540	10.37]]	

^{*}Order Select minimum 1m² in single sizes.







1: DRIVELINE ELISE, Brindle (BRI) 2: DRIVELINE ELISE, Pebble Grey (PB)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

DRIVELINE®

ELISE®

Driveways

For more product notes see p191 or website

Elegant larger blocks for texture and interest

Create impact and effect with this larger size block featuring a subtle hammered texture designed to add interest to all driveway areas. The single large block size will suit almost any style of home, enhancing the appeal of every property.

DRIVELINE ELISE, Brindle (BRI), edged with TEGULA KERB, Pennant Grey (PG). DRIVELINE DRAIN, Charcoal (CH).

Design & installation by Leading Landscapes Ltd, Linford, Essex

	Sizes mm (nominal)	No. items/ pack	m²/ pack	Colours
Single Size Pack	300 x 150 x 50	204	9.18	BRI PB









STANDARD BLOCK **PAVING**

Driveways



1: STANDARD BLOCK PAVING, Brindle (BRI) 2: STANDARD BLOCK PAVING, Red (R)

- 3: STANDARD BLOCK PAVING, Charcoal (CH)
- 4: STANDARD BLOCK PAVING, Bracken (BRA) 5: STANDARD BLOCK PAVING, Sunrise (SR) 6: STANDARD BLOCK PAVING, Buff (B)
- 7: STANDARD BLOCK PAVING, Natural (N)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website



Standard Block Paving, Bracken (BRA), edged with Charcoal (CH).

Budget block paving offers a more attractive, practical and longer

lasting option than resin or asphalt alternatives. Available in a range

of colours to create a durable driveway solution. And where a more

premium finish is required, consider Driveline 50 for a top quality

smooth, contemporary finish.

Installed by James Bird Landscapes Ltd, Sheffield

the second livery and the last of the last



Complete the look



Subtle control for water run off


Driveline Drain concrete linear drainage controls normal water run off from driveways and paving with no requirement for planning permission. Marshalls Driveline Drain is available in three colours, designed to coordinate with any paving or driveway product design in our range.

Driveline	Sizes mm	No. items/	Linear m/	Colours	Order
Drain	(nominal)	pack	pack		Select
	150 x 100 x 165 70 Diameter	256	25.6	CH N BR	√ *

*Order select minimum, one piece.

DRIVELINE DRAIN®

Driveways



- 1: DRIVELINE DRAIN, Charcoal (CH), Natural (N), Brindle (BR)
- 2: Rodding Box & Access Lid
- 3: Blanking Plug
- 4: Connector Plate

Accessories are also available for a complete installation – your drain run length will depend on the accessories you need. See installation guide for the full details.

Complete the look

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website










DRIVELINE DRAIN, Charcoal (CH),

Paving, DRIVELINE METRO, Light Grey (LG)

KEYKERB®


Driveways



Bullnosed

Keykerb Small (KS)

Half Battered





Designed for versatility k and practicality

Essential to the look and practicality of every project, Keykerb large and small blocks are designed to work as a barrier or restraint between soft landscaping or decorative aggregates and all types of driveway and paving. Available in different profiles and a choice of three colours.

Keykerb Large (KL)	Linear m/pack	Colours	Keykerb Small (KS)	Linear m/pack	Colours
Standard (Dual purpose bullnosed and half battered)	25.2		Standard (Dual purpose bullnosed and splay	37.8	
Radial Bullnosed (Dual purpose inter- nal/external)	7.2		Radial. Splay (Dual purpose internal/ external)	10.8	
*90° Angle Internal (half battered)			*90° Angle Internal Splay		
*90° Angle External (half battered)		C R BR	*90° Angle External Splay		C R BR
Radial. Half battered (Dual purpose internal/external)	7.2		Radial. Bullnosed (Dual purpose internal/external)	10.8	
*90° Angle Internal (bullnosed)			*90° Angle Internal (bullnosed)		
*90° Angle External (bullnosed)			*90° Angle External (bullnosed)		

Standard (Dual purpose bullnosed and splay	37.8	
Radial. Splay (Dual purpose internal/ external)	10.8	
*90° Angle Internal Splay		
*90° Angle External Splay		C R BR
Radial. Bullnosed (Dual purpose internal/external)	10.8	
*90° Angle Internal (bullnosed)		
*90° Angle External (bullnosed)		

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation. For more product notes see p191 or website







TEGULA® KERB



DRIVESETT® KERB

MARSHALLS BLOCK KERB

Versatile, easy to use block kerb

Provides attractive restraining edges for driveway and paving projects. These products can be laid easily to retain different shapes and orientations.

	Sizes mm (nominal)	No. items/pack	Colours
TEGULA KERB			
Standard Tegula Kerb	130 x 160 x 250	120 60	
Radial Internal & External	130 x 160 x 96 x 250	60	TR PG
Return Internal & External	160 x 160 x 250	1	
DRIVESETT KERB			
	120 x 80 x 240	192	TR PG H
4-in-1 KERB			
Driveline	100 x 100 x 200	240	BRI CH
Drivesett	100 x 100 x 200	240	PG







Drivesett 4-in-1 Kerb, Pennant Grey (PG)



Drivesett 4-in-1 Kerb, Pennant Grey (PG)

4-in-1 KERB






This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/ homeowners prior to installation. For more product notes see p191 or website



DRIVEWAY EDGING









DRIVESYS® ROUNDTOP

DRIVELINE $NOVA^{TM}$

DRIVESETT® ARGENT®

1: DRIVESYS ROUNDTOP Edging, Basalt (B) 2: DRIVESETT ARGENT Edging, Natural (N) 3: DRIVESETT ARGENT Edging, Light (LT) 4: DRIVESETT ARGENT Edging, Dark (DK)

5: DRIVELINE NOVA Edging, Pebble Grey (PG) 6: DRIVELINE NOVA Edging Brindle (BR)

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.

For more product notes see p191 or website

Designs to complement any driveway

Contemporary edge restraints designed to complement the full range of Marshalls paving and driveway products. Each edging perfectly complements their respective driveway ranges.

Drivesett Argent Edging has the same premium granite look as the Drivesett Argent range, see p144, p156 and can be used to match or contrast.

Driveline Nova Edging is designed to be laid flush with the Driveline Nova block paving, see p146 to seamlessly provide a discreet haunch.

Drivesys Roundtop Edging in Basalt coordinates with the expanding range of Drivesys block paving, see p136-140, p170-172.



	Sizes mm (nominal)	No. items/ pack	Linear m/pack	Colours	Orde Selec
Driveway Edgings					
Drivesys Roundtop	915 x 150 x 60	40	36.6	В	
Driveline Nova	600 x 150 x 50	60	36	PG, BR	✓
Drivesett Argent	915 x 150 x 63	48	43.92	N, LT, DK	

^{*}For Order Select minimum quantities see p16.















CO₂/M² MADE IN BRITAIN

	Sizes mm (nominal)	No. items/ pack	Linear m/pack	
Channels				
Drivesett Channel	200 x 200 x 65	80	16	

CHANNELS



DRIVESETT CHANNEL, Pennant Grey (PG)

	Sizes mm (nominal)	No. items/ pack	Linear m/pack	Colours
Channels				
Drivesett Channel	200 x 200 x 65	80	16	PG
Driveline Channel	200 x 200 x 65	240	48	BRI, CH

TELESCOPIC SECURITY POST

Simple but effective security device, can be used both in front of the garage and at the driveway entrance to deter theft.

	No. item/pack	Weight (kg/pack)	Colours
Telescopic Security Post	1	22	Black, Yellow, Stainless Steel

This product comes with specific installation guidelines. Please contact our Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk/homeowners prior to installation.



NEW

Driveway Notes

General Driveway Notes

- · All Marshalls driveway products in this brochure are designed for domestic vehicles only, they are not designed for commercial vehicles
- Driveways must be installed with edge restraints for stability
- Driveways must be installed in accordance with current legislation to manage and control water run-off.

Natural Stone Driveway Products

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 12 for more information)
- All Marshalls sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard
- Due to the nature of this product, you may see some colour variation in natural stone products.

Marshalls Concrete Driveway Products

- · When laying block paving products, for an even colour blend ensure blocks are taken from a number of packs. Also taking blocks from vertical rather than horizontal layers will ensure good colour blend
- Marshalls concrete block paving is manufactured in different factories. Colour may vary slightly across these works of manufacture
- Marshalls can supply kiln dried sand, contact your local service centre for more information.

For specific installation guides Marshalls Register Installers can also consult the Installer Pocket Guide. Or if you are laying any Marshalls driveway materials for the first time, please contact Marshalls Technical Advisory Team on 0370 411 2233 or visit our website www.marshalls.co.uk for installation advice.

MAGNASETT

- A blended mix of premium stone
- Please note due to the nature of this product significant variation between stones can occur
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information

DRIVEWAY SETTS

- A premium stone driveway product
- Please note due to the nature of this product significant variation between stones can occur
- For a co-ordinated natural stone look try Natural Stone Walling, p102, p110. Stone Steps p54
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information
- For paths and edging smaller quantities can be ordered via the Order Select service, see p16.

SAWN GRANITE SETTS

- A contemporary, linear natural stone driveway product • Please note due to the nature of this product significant
- variation between stones can occur
- · The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service for more information
- Please note Marshalls WeatherPoint 365 is not suitable for use with this product.

DRIVESYS FLAMED, RIVEN & SPLIT STONE

- A premium, concrete driveway product which has a patented
- base design to automatically create the right size joint Drivesvs is available in a number of sizes, colours and finishes
- Sufficient and appropriate jointing compound is delivered with every order
- Drivesys blocks come with a shiny protective transportation seal which wears off to reveal the slightly lighter true colour
- Drivesys Jointing Compound is guaranteed for a period of 12 months or 2 years if the customer has purchased a Marshalls Hard Landscaping Guarantee
- It is essential that the 'Drivesys Installation Guide' is followed, to request a copy call the Marshalls Technical Advisory Service
- It is recommended that Drivesvs is installed by a Marshalls Register member
- For coordinating Drivesys Roundtop Edging see p188
- Marshalls recommends that Drivesys Jointing Compound is always used with this product for structural stability.

DRIVELINE METRO

- A textured, concrete driveway product with attractive exposed granite aggregates
- Driveline Metro can be a single colour driveway, or you can purchase a number of different colour packs to create a unique effect.





DRIVESETT ARGENT

- A textured, concrete driveway product with attractive exposed granite aggregates
- This product co-ordinates perfectly with Drivesett Argent Edgings, see p180, Argent Paving p52 and Argent Walling p108.

DRIVELINE NOVA

- A linear, concrete driveway product with distinctive colour aesthetic
- This product co-ordinates perfectly with Driveline Nova Edging.

DRIVESETT SAVANNA

· A smooth concrete driveway product.

DRIVELINE 50

 An upgrade to Standard CBP Driveline 50 is an improved driveway product with a smooth surface and contemporary sparkle

Common to all Priora Driveways:

- The Priora design drains water away safely in heavy rainfall without burdening the community drainage system
- If installed with the correct sub-base this permeable paving solution can be used in a front garden without obtaining planning permission
- Specific installation guidance must be followed
- The Priora System should not be attempted by the DIY enthusiast or untrained installer. It requires the careful calculation of a soil permeability test and appropriate use of specially graded sub-base aggregates.**Should an installer wish to undertake training for the installation of this product please call the Marshalls Helpline on 0345 820 5000 for further information.

Visit the Marshalls website to find your nearest Marshalls Register Installers trained to install Priora Systems, or call 0345 820 5000

DRIVESETT ARGENT PRIORA

- An attractive, yet sustainable concrete driveway product with attractive exposed granite aggregates
- · Manages rainfall run off in a sustainable way and does not require planning permission when installed correctly
- This product co-ordinates perfectly with Drivesett Argent Edgings, see p180, Argent Paving p52 and Argent Walling p108.

DRIVESETT TEGULA PRIORA

- A sustainable concrete driveway product, with a traditional look
- Manages rainfall run off in a sustainable way and does not require planning permission when installed correctly.

DRIVELINE PRIORA

- · A sustainable concrete driveway product, with a traditional look
- Manages rainfall run off in a sustainable way and does not require planning permission when installed correctly.

GRASSGUARD

- A permeable concrete grid, driveway system
- Ideal for occasional car parking spaces, but due to its nature it is not as even as other concrete block paving products, so extra care must be taken when walking over areas in hiah heels
- Manages rainfall run off in a sustainable way and does not require planning permission when installed correctly
- The Grassguard grid allows grass to gro.w through the blocks, providing a green option for parking.





· A composite permeable grid system, which is filled with

DRIVEGRID

- gravel to create a car parking area or pathway When using this product it is essential that the area is
- framed with an edge restraint for stability For best aesthetic looks Marshalls recommends using a driveway entrance strip
- All components available as a system, delivered direct to site
- Grid and Membrane are packed together & cannot be sold separately.

NATURAL STONE SETTS

- A premium stone driveway product
- Please note due to the nature of this product significant variation between stones can occur
- For a co-ordinated natural stone look try Natural Stone Walling, p102, p110. Stone Steps p54
- The use of the correct installation method is critical for this product, please contact Marshalls Technical Advisory Service on 0370 411 2233 for more information
- For paths and edging smaller quantities can be ordered via the Order Select service, see p16.

DRIVESYS ORIGINAL COBBLE & CLASSIC PAVER

- A premium, concrete driveway product which has a patented base design to automatically create the right
- Drivesvs is available in a number of sizes, colours and finishes
- · Sufficient and appropriate jointing compound is delivered with every order • Drivesys blocks come with a shiny protective transportation seal which guickly wears off to reveal the slightly lighter
- true colour Drivesys Jointing Compound is guaranteed for a period of 12 months or 2 years if the customer has purchased a Marshalls Hard Landscaping Guarantee
- · It is essential that the 'Drivesys Installation Guide' is followed, to order a copy call the Marshalls Technical Advisory Service,
- It is recommended that Drivesys is installed by a Marshalls Register Member
- For coordinating Drivesys Roundtop Edging see p188 Marshalls recommends that Drivesvs Jointing Compound is always used with this product for structural stability.

DRIVESETT TEGULA ORIGINAL

- A traditional look, concrete driveway product, perhaps Britain's preferred choice of driveway for the past decade and still a perfect option
- Why not try co-ordinating walling and edging see p114 & 187.

DRIVESETT COPPICE

- A traditional look, concrete driveway product with innovative colour aesthetic
- correct colour blend.

DRIVESETT DUO

- · A unique traditional look, concrete driveway product,
- side, allowing individual design mixtures.

DRIVESETT DECO

- · A smaller traditional look, concrete driveway product ideal for driveways
- This product can also be used for pathways, driveway entrance strips or borders.

DRIVESETT NATRALE

· A riven textured, concrete driveway product available in a

DRIVELINE ELISE

number of sizes.

 A distinctive, concrete driveway products with a hammered granite texture.

STANDARD BLOCK PAVING

- A standard block paving product, made in different factories in England, Scotland and Wales therefore variations in colour and tone may occur
- A new Natural colour has been introduced to this range.

DRIVELINE DRAIN

- Driveline Drain concrete linear drainage controls normal water run off from driveways and paving with no requirement for planning permission
- Accessories are also available for a complete installation.
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact
- Marshalls Technical Advisory Service Specific maintenance guidance is also available.

KEYKERB, TEGULA & DRIVESETT KERB

- Each block is reversible, with a defined colour blend on each Large or small kerb is the foundation of any successful driveway installation
 - Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Marshalls Technical Advisory Service
 - Keykerb Corners are sold in pairs.

DRIVEWAY EDGING

 The perfect edge restraints to coordinate with the Driveway products or contrast with other products within the Driveways range Drivesys is a round top edging available in Basalt

- · Argent is a granite effect, flat top textured edging in three
- Nova is a flat top edging with colour in the top 20mm designed to be laid flush with the Driveline Nova block paving Specific installation guidance must be followed. Consult a

Marshalls Register Installer. Or for further guidance contact

Marshalls Joint Filling Sand -Available in Red and Golden

Marshalls Technical Advisory Service.

Marshalls Joint Filling Sand is a special kiln dried sand suitable for use with all types of block paving.

Coverage

Paving thickness	50mm	60mm	80mm
Joint sand per 25kg bag	6-8m²	4.5-6.5m ²	3.5-5.5 ²

Contact Marshalls Technical Advisory Service on 0370 411 2233

190



Take product from across a layer of the pack to achieve the

Permeable joint filled

with 6mm clean

crushed stone

PRIORA Conditions and Guidelines for Use

CONDITIONS REQUIRED FOR PRIORA

The grade of Priora featured in this brochure is only intended for normal domestic vehicles and pedestrian traffic, though occasional delivery vehicles over 3.5 tonnes gross weight can be tolerated.*

The Domestic Priora System is only intended for driveways or paths where infiltration is required only in the immediate Priora below any adjoining wall DPC level. paved area and not from other surrounding paved or roofed areas (see rainwater catchment area guideline opposite).

In some parts of the country there are ground conditions where infiltration could adversely affect foundations to houses, therefore, if in doubt seek advice from a specialist or the local authority building control department.

Properties constructed pre 1920 may not have been built on traditional concrete foundation, therefore in this case, Marshalls Domestic Priora System should not be installed.

Check for services, Priora must not be installed if gas or electric services run through intended Priora areas.

Priora is a trademark of UNI-International Bausysteme GmbH.

GUIDELINES FOR INSTALLING PRIORA

Surface Gradient

The intended Priora area must fall away from the owner's house and any other buildings in the immediate vicinity.

If the driveway exceeds 20m in length and/or has a gradient greater than 1 in 100 then please contact Marshalls Technical Advisory Service.*

The top surface of the driveway should finish at least 150mm

Existing Foundations

Priora concrete block paving

50mm denth

of 6mm clear

Sub-base 200mm depth of 20mm clean crushed stone with well defined edges

crushed stone

If your house lies adjacent to or less than 600mm from the proposed Domestic Priora driveway area, establish depth of house foundation before undertaking any soil test/Priora installation. The house foundation top surface must be 600mm (minimum) below the finished level of the top of the proposed Priora driveway.

Soil Strength and Permeability

Marshalls Domestic Priora System must be laid on a subgrade which has previously had an established and adequate existing driveway and an area which has a subgrade soil strength

The Domestic Priora System is only suitable for soil areas where infiltration applies and the test criteria have been met as per the standard permeability test.

For the standard permeability a test hole should be dug for every 20m² of driveway. There should be a minimum of two holes. Holes/pits should be spaced evenly in relation to the proposed Priora area.*

Discharge onto Roadway

The Domestic Priora area must not discharge onto surrounding public roadway and pathways and towards any buildings.

Rainwater Catchment Area

No adjoining surface areas (rainwater pipes, roof areas, etc) must drain onto and into the proposed Domestic Priora driveway area, however, small areas such as door steps and garage areas are acceptable providing they do not exceed 5% of the driveway area.

Guideline: Catchment area = driveway area. Catchment area = drained surface area.

Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN13242 and BS EN12620 to ensure compliance.

When installing in close proximity to existing trees, tree roots smaller than 25mm diameter may be pruned back, preferably to a side branch, using a suitable pair of secateurs or hand saw. Roots larger than 25mm should only be severed following consultation with an arboriculturist, as they may be essential to the tree's health and stability. Protection of the pavement will also be required, hence the requirement of a permeable root barrier system such as the Geoweb bio barrier system (www.Fiberweb.com) or similar which is non surface protruding, and therefore, does not present a trip hazard once installed.

Health and Safety

It is possible that more excavation for a Priora driveway may be required than that of a driveway constructed of traditional block paving, therefore, care must be taken when excavating ground to a deeper level. Particular care must be taken to protect the sites from children and partially sighted persons and for collapse of adjoining features such as boundary walls/fences.

Check for services, if they run through intended Priora areas, the service provider must be consulted before work commences.

Care must be taken when constructing over sewer, rainwater pipes and water pipes to ensure that the services remain supported for their full length by undisturbed material and are surrounded on the remaining sides by a minimum of 150mm of 6mm material to protect the service.

*Should you require a more detailed discussion on the intended use of the area, advice is available from the Technical Advisory Service on 0370 441 2233.

Important General Technical Information

Efflorescence

All concrete products may, in their early life, appear to lose some intensity of colour and experience a milky-white stain on the face of the product. This is efflorescence staining. It is a temporary phenomenon and is in no way detrimental to the performance of the material and responsibility cannot be accepted for its occurrence. Clay products may also suffer from a temporary white stain called efflorescence. This is guite different from efflorescence in concrete products and is caused by soluble salts within the clay being transported by water to the surface as they dry out. Responsibility cannot be accepted for its occurrence. For further information on efflorescence staining in both clay and concrete products, please call the Technical Advisory Service Tel: 0370 411 2233.

Other Weathering

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. Natural stone may develop added marking, deposits or patches as mineral content oxidises. All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Marshalls cannot accept responsibility for any of the above conditions.

Maintenance

Paving materials require periodic cleaning to maintain their appearance. Regular sweeping to prevent the build-up of detritus is recommended.

Light coloured blocks, whilst structurally sound for driveway use, do emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Proprietary cleaning agents are widely available. However care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay and natural stone.

A trial on a small section of paving is always recommended prior to using on the full area.

For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/ near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical.

Power-washing

Power-washing with high-pressure equipment is not normally required. Should these methods be employed, the following precautions should be observed:

- i. Paving should be thoroughly swept to remove detritus (loose debris) that could act as an abrasive agent when moved by the force of a power jet.
- A trial area should be tested before larger scale powerwashing takes place. iii. No more than a medium pressure should be applied
- when washing paving iv. The power-washing lance should be held at an oblique angle to the paving and at least 200mm (8")
- If excess sand is washed from the joints during the washing exercise, it is important that the joints are re-sanded with similar materials upon completion.
- vi. If mortar joints between pavings are damaged during power-washing they should be re-pointed/made good with fresh pointing as required, to maintain the integrity of the paving.

Weatherpoint 365 Terms & Conditions

For full terms and conditions please visit Marshalls website at: www. marshalls.co.uk/weatherpoint

Suitability/Application

from the surface.

The paving flags illustrated in this literature are primarily intended for domestic/landscape use only.

Paving flags suitable for areas subject to intense foot traffic, i.e. pedestrian precincts and commercial applications, etc. are detailed in separate literature. This literature is available on request by telephoning: 0370 411 2233.

For areas subject to vehicular overrun (driveways, parking areas, etc.), block paving products are recommended, (see pages 132-184). The block paving products illustrated in this literature are intended for pedestrian and light vehicular overrun applications (driveways and similar).

For pavements subject to frequent overrun of heavy vehicles, block paving from our commercial/specification range should be used. These are detailed in separate literature, copies of which are available on request by telephoning: 0370 411 2233. Should customers be in doubt as to the suitability of any Marshalls product for a given application, please obtain guidance from our Technical Advisory Service Tel: 0370 411 2233.

Colour Variation

The colours shown in this literature are as exact as photographic and printing processes will allow. We strongly recommend that colours are judged and chosen from actual materials rather than photographic representation depicted herein. Although every effort is made to ensure consistency of product colour, variations between production batches can occur. We therefore recommend that, when purchasing materials, especially in the case of larger quantities, they all come from the same batch and that products are thoroughly mixed on site by drawing from a minimum of three packs.

Availability

Details of pack contents are listed for the guidance of stockists. Stockists are usually prepared to split full packs for sale in any quantity. Product dimensions and weight, etc. are nominal and subject to manufacturing tolerances.

*Patented Paving System

Priora is patented in UK and EP079168931.

Natural Stone

All natural stone sandstone products vary with differing geological conditions. For example, Silver Birch and Antique Silver Multi sandstone variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Birch and Antique Silver Multi as against the other natural stones in the Marshalls range.

Certain common garden chemicals such as Ferrous Sulphate can stain paving. Please check the information given on the container holding the chemical. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

Marshalls Commitment to Quality & Innovation

Marshalls is committed to innovative product development and manufacture. To help you obtain maximum enjoyment and long service from any Marshalls product, we would be pleased to make you aware of the following:

The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the stockist to ensure that they have the latest details.

All Marshalls products are manufactured to the appropriate European Standard where applicable. Where products (or intended usage) lie outside the scope of a British (or European) Standard, Marshalls own standard will be employed, All products are supplied subject to Marshalls Standard Conditions of Sale, a copy of which is available on request. Liability in respect of any statements, conditions, warranties and representations made on behalf of the Company is limited in accordance with the terms set out in the Standard Conditions

Health and Safety

Care should be taken when handling and installing Marshalls products. Guidelines on the Control Of Substances Hazardous to Health (COSHH) are available for all Marshalls products, either through our website, www.marshalls.co.uk/homeowners or from Marshalls Technical Advisory Service, Tel: 0370 411 2233.

Marshalls Register

Marshalls Register of installers are regularly inspected to ensure they comply with the membership agreement. Marshalls are not a party to the contract between the Registered installer and the customer. Marshalls cannot be held responsible for any installation undertaken by a Marshalls Register installer.

Register Installer

Details of membership are available from Marshalls Register support team on 0345 820 5000.



Hard Landscape Guarantee Conditions

Marshalls products are manufactured to the highest standards. The Hard Landscape Guarantee is only available for domestic projects installed by a Marshalls Register Installer where a guarantee has been purchased; the cost of the guarantee is £50 (+VAT) per £5000 of the installed value. The Hard Landscape Guarantee can only be issued by Marshalls upon receipt of a correctly completed Guarantee Request Form and the relevant fee. The Hard Landscape Guarantee covers Marshalls branded products. Marshalls hereby warrants, that in the event of the failure of Marshalls products used in the construction of a domestic driveway or patio installed at the address named on the Guarantee, replacement products will be supplied free of charge for a period of 10 years commencing from the installation date. For products produced with Surface Performance Technology this period is extended for a further 10 years.

Additionally, the labour costs incurred during the replacement of these faulty materials, and/or labour costs arising from faulty workmanship, will be free of charge for a period of 5 years commencing from the installation date. This guarantee is subject to the terms and conditions below. This guarantee is offered as an additional benefit by Marshalls and in no way affects any parties' statutory rights.

The house owner is responsible for applications for any relevant planning permission. Marshalls do not accept liability for application of planning permission on any project covered by the Marshalls Hard Landscape Guarantee or otherwise.

In the unlikely event of products reaching you in less than satisfactory condition, you should notify the stockist immediately with details of the product and batch codes printed on the packaging. In addition to this, responsibility for costs incurred for uplifting and relaying defective products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent prior to laying.

Pendle, Leyburn, Textured Utility, Utility and Richmond pavings are intended to serve the 'budget' end of the market and as such should not be confused with premium products such as Heritage or Coach House. In addition to this, because of their limited protection in transit, there is a significant probability of pavings bearing scratch marks to the face. Due to local manufacturing, precise colours and face finishes may vary and it is recommended that pavings from different factories are not mixed on site. Pendle, Leyburn, Textured Utility, Utility and Richmond therefore fall outside the scope of The Hard Landscape Guarantee.